


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SUNCOR STAINLESS. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF SUNCOR STAINLESS IS PROHIBITED.

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
A	INITIAL DRAWING	12-18-20	J. STORRER

D
C
B
A

D
C
B
A



USING A0906-0075 ANGLE FITTINGS :

- NO WIRE PASS THROUGH POSTS.
- EACH SECTION MUST HAVE A TENSIONING DEVICE.
- DEVICE CAN BE SINGLE MOUNT TENSIONER, HANDISWAGE STUD OR HANDISWAGE TENSIONER.
- USE UNIVERSAL POSTS WHERE EVER POSSIBLE.
- A0906-0075 FITTING MAX ANGLE IS 45 DEGREES.
- POST MAY NEED TO ROTATE WITH A0906-0075 ON BOTH SIDES IF OVER 45 DEGREES.

CUSTOMER SIGNATURE: _____ DATE: _____

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE:		CAD GENERATED DRAWING DO NOT MANUALLY UPDATE	
FRACTIONS ± 1/64"	DECIMALS X ± 0.05 XX ± 0.01 XXX ± 0.005	ANGLES ± 1/2°	
MATERIAL 316SS		APPROVALS DRAWN: J. STORRER	DATE 12-18-20
FINISH POWDER COAT		CHECKED	
		RESP. ENG.	
		MFG. ENG.	
		QUAL. ENG.	
SIZE D	FSCM NO.	ORDER NO. A0906-0075 GUIDE	REV A
SCALE NTS	CAD FILE: xxxxxxxxxxxxxx		SHEET



A0906-0075 FITTINGS
NOVA WITH ANGLED SECTIONS

8 7 6 5 4 3 2 1

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SUNCOR STAINLESS. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF SUNCOR STAINLESS IS PROHIBITED.

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
A	INITIAL DRAWING	12-18-20	J. STORRER

45°

SINGLE MOUNT TENSIONER

UNIVERSAL POST
THREADED INSERT(X2)

- USING A0906-0075 ANGLE FITTINGS :**
- NO WIRE PASS THROUGH POSTS.
 - EACH SECTION MUST HAVE A TENSIONING DEVICE.
 - DEVICE CAN BE SINGLE MOUNT TENSIONER, HANDISWAGE STUD OR HANDISWAGE TENSIONER.
 - USE UNIVERSAL POSTS WHERE EVER POSSIBLE.
 - A0906-0075 FITTING MAX ANGLE IS 45 DEGREES.
 - POST MAY NEED TO ROTATE WITH A0906-0075 ON BOTH SIDES IF OVER 45 DEGREES.

CUSTOMER SIGNATURE: _____ DATE: _____


UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE:		CAD GENERATED DRAWING DO NOT MANUALLY UPDATE	
FRACTIONS ± 1/64"	DECIMALS X ± 0.05 XX ± 0.01 XXX ± 0.005	ANGLES ± 1/2°	
MATERIAL 316SS		APPROVALS DRAWN J. STORRER	DATE 12-18-20
FINISH POWDER COAT		CHECKED	
		RESP ENG	
		MFG ENG	
		QUAL ENG	
SIZE D	FSCM NO.	ORDER NO. A0906-0075 GUIDE	REV A
SCALE NTS		CAD FILE: xxxxxxxxxxxx	SHEET



A0906-0075 FITTINGS
NOVA WITH ANGLED SECTIONS

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SUNCOR STAINLESS. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF SUNCOR STAINLESS IS PROHIBITED.

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
A	INITIAL DRAWING	12-18-20	J. STORRE




- USING A0906-0075 ANGLE FITTINGS :**
- NO WIRE PASS THROUGH POSTS.
 - EACH SECTION MUST HAVE A TENSIONING DEVICE.
 - DEVICE CAN BE SINGLE MOUNT TENSIONER, HANDISWAGE STUD OR HANDISWAGE TESNIONER.
 - USE UNIVERSAL POSTS WHERE EVER POSSIBLE.
 - A0906-0075 FITTING MAX ANGLE IS 45 DEGREES.
 - POST MAY NEED TO ROTATE WITH A0906-0075 ON BOTH SIDES IF OVER 45 DEGREES.

CUSTOMER SIGNATURE: _____ DATE: _____

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE:		CAD GENERATED DRAWING DO NOT MANUALLY UPDATE			
FRACTIONS ± 1/64"	DECIMALS X ± 0.05 XX ± 0.01 XXX ± 0.005	ANGLES ± 1/2°	APPROVALS DRAWN: J. STORRE DATE: 12-18-20		
MATERIAL 316SS	CHECKED	RESP ENG	QUAL ENG	SIZE D	FSCM NO.
FINISH POWDER COAT				ORDER NO. A0906-0075 GUIDE	REV A
SCALE NTS		CAD FILE: XXXXXXXXXXXXX		SHEET	

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SUNCOR STAINLESS. ANY REPRODUCTION IN PART OR WHOLE WITHOUT THE WRITTEN PERMISSION OF SUNCOR STAINLESS IS PROHIBITED.

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
A	INITIAL DRAWING	12-18-20	J. STORRER



USING A0906-0075 ANGLE FITTINGS :

- NO WIRE PASS THROUGH POSTS.
- EACH SECTION MUST HAVE A TENSIONING DEVICE.
- DEVICE CAN BE SINGLE MOUNT TENSIONER, HANDISWAGE STUD OR HANDISWAGE TENSIONER.
- USE UNIVERSAL POSTS WHERE EVER POSSIBLE.
- A0906-0075 FITTING MAX ANGLE IS 45 DEGREES.
- POST MAY NEED TO ROTATE WITH A0906-0075 ON BOTH SIDES IF OVER 45 DEGREES.

CUSTOMER SIGNATURE: _____ DATE: _____

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE:		CAD GENERATED DRAWING DO NOT MANUALLY UPDATE			
FRACTIONS ± 1/64"	DECIMALS X ± 0.05 XX ± 0.01 XXX ± 0.005	ANGLES ± 1/2°	APPROVALS DRAWN: J. STORRER CHECKED: _____ RESP ENG: _____ MFG ENG: _____ QUAL ENG: _____		
MATERIAL 316SS	FINISH POWDER COAT	SIZE D	FSCM NO.	ORDER NO. A0906-0075 GUIDE	REV A
SCALE: NTS		CAD FILE: XXXXXXXXXXXXX		SHEET	